

Your Reliable Partner

**ANCHORS
&
FIXINGS**



J.T. FASTENERS SUPPLY CO., LTD.

No. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

<http://www.jtfasteners.com.tw>



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

































Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Wedge Anchor (metric size)		1
Wedge Anchor (inch size)		2
Drop In Anchor		3
Sleeve Anchor		3-4
Sleeve Anchor---(inch size)		5
Shield Anchor (one pc)		6
Shield Anchor (2 pcs)		7
Shield Anchor (3 pcs)		8-9
Shield Anchor (2 pcs), Nut Inside		9
Shield Anchor (4 pcs), Nut Inside		9-11
Hollow Wall Anchor		11
Tie Wire Anchor		12
Spring Toggle/Gravity Toggle		12-13
Concrete Screw		13
Metal Frame Anchor		14
Ceiling Anchor		14
Nylon Window Anchor		14
Nylon Hammer Drive Anchor		15
Nylon Frame Anchor		15
Nylon Wall Plug		16
Nylon Nail Anchor		16
Plastic Toggle Anchor		17
PE Hollow Wall Plug		17
Nylon Universal Plug		17
Nylon Plug Anchor		18
Steel Plug Anchor		18
Hammer Drive Anchor		19
Lag Screw Shield Anchor		19
Zinc Alloy Easy Drive Anchor		20
Lead Wood Screw Anchor		20
Expansion Anchor		21
Machine Screw Anchor (sleeve-lead, nut-zinc)		21



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw


Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Wedge Anchor (metric size)

JT01-A~G



Clip Type



Item No.	Anchor size (mm)	Max Fixture Thickness (mm)	Pull Out Loading (kgs)	
JT01-	M6x40	3	850	
	M6x55	15		
	M6x70	30		
	M6x95	55		
	A	M8x50	10	1150
		M8x65	20	
		M8x80	35	
		M8x95	50	
		M8x105	60	
		M8x120	75	
		M8x165	135	
	B	M10x65	15	1500
		M10x80	20	
		M10x90	30	
	C	M10x120	60	1500
		M10x130	70	
	D	M12x80	20	2300
		M12x100	30	
		M12x110	40	
		M12x120	50	
		M12x150	80	
	E	M16x105	15	3400
		M16x140	40	
		M16x180	80	
		M16x220	120	
	F	M20x125	15	5400
		M20x160	40	
		M20x200	80	
M20x300		180		
G	M12x100	30	2300	
	M12x110	40		
	M12x120	50		



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw


Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Wedge Anchor (inch size)

JT02-A~G



Clip Type



Item No.	Anchor size (mm)	Max Fixture Thickness (mm)	Pull Out Loading (kgs)	
JT02-	1/4x1-3/4	3/16"	830	
	1/4x2-1/4	5/8"		
	3/8x2-1/4	1/8"	1500	
	3/8x2-3/4	1/2"		
	3/8x3	3/4"		
	3/8x3-3/4	1-1/2"		
	3/8x5	2-3/4"		
	A	1/2x2-3/4	1/8"	2800
	B	1/2x3-3/4	7/8"	
	C	1/2x4-1/4	1-1/2"	
	D	1/2x5-1/2	2-1/2"	
	E	1/2x7	4"	3600
	F	5/8x3-1/2	3/16"	
	G	5/8x4-1/2	1-1/8"	
		5/8x5	1-1/2"	5500
		5/8x6	2-1/2"	
		3/4x4-1/4	1/2"	
		3/4x4-3/4	3/4"	
		3/4x5-1/2	1-1/2"	
		3/4x7	3"	
	3/4x8-1/2	4-1/2"		
	3/4x10	6"		



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net


http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Drop In Anchor

JT03-A~H

Item No.	Size(mm)	Kgs/1,000pcs	Pull Out Loading (kgs)	
JT03	M6x ϕ 8x25(W1/4)	8.3	930	
	M8x ϕ 10x30(W5/16)	11.9	1320	
	A	M10x ϕ 12x40(W3/8)	22	1900
		M12x ϕ 16x50(W1/2)	53.5	2950
	B	M16x ϕ 20x65(W5/8)	108	4800
		M20x ϕ 25x80(W3/4)	209	5800
	C	1/4-20x ϕ 3/8x1"	10.6	980
		3/9-16x ϕ 1/2x1-9/16"	27.9	1900
D	1/2-13x ϕ 5/8x2"	53.2	2950	
	5/8-11x ϕ 7/8x2-1/2"	146.8	5200	
E	3/4-10x ϕ 1x3-1/8"	247.2	6800	



Sleeve Anchor

JT04

Item No.	Head Type	Anchor Size (mm)	Drill ϕ	Max Fixture Thickness	Pull Out Loading (Kgs)
JT04	Hex Flange Nut	6.5x18	6.5	3	800
		6.5x36	6.5	8	
		6.5x56	6.5	26	
		6.5x75	6.5	45	
		8x40	8	8	1200
		8x65	8	35	
		8x85	8	55	
		10x40	10	6	
		10x50	10	12	1700
		10x60	10	15	
		10x77	10	27	
		10x97	10	62	
		12x60	12	15	2500
		12x75	12	27	
		12x99	12	52	
		12x129	12	80	
	16x65	16	20	3700	
	16x111	16	65		
	16x147	18	100		
	20x75	20	25	5100	
20x107	20	57			
20x150	20	101			





J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Sleeve Anchor

JT05




Item No.	Head Type	Anchor Size (mm)	Drill ϕ	Max Fixture Thickness (mm)	Pull Out Loading (kgs)
JT05	Hex Bolt	M6x45	8	2	800
		M6x60	8	15	
		M6x45	9	2	
		M6x60	9	15	
		M8x60	10	5	1200
		M8x80	10	15	
		M8x60	11	5	
		M8x80	11	15	
		M10x70	12	2	1700
		M10x100	12	25	
		M10x70	14	2	
		M10x100	14	25	
		M12x80	15	2	2400
		M12x110	16	25	
		M16x110	20	15	
M20x130	25	25	4800		

Sleeve Anchor

JT06

Item No.	Head Type	Anchor Size (mm)	Drill ϕ	Max Fixture Thickness (mm)
JT06	C-hook	M6x45	8	2
		M6x45	9	2
		M8x60	10	5
	O-hook	M8x60	11	5
		M10x70	12	2
	Stud	M10x70	14	2
		M12x80	15	2





J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755


E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Sleeve Anchor (Inch Size)

JT07-A,B



Item No.	Head Type	Anchor Size (mm)	Drill ϕ	Max Fixture Thickness (mm)	Pull Out Loading (kgs)
JT07-A	Hex Nut Type	1/4x3/8	1/4	1"	1200
		1/4x2-1/4	1/4	1"	
		5/16x1-1/2	5/16	1"	1700
		5/16x2-1/2	5/16	1"	
		3/8x1-7/8	3/8	1-1/4"	2700
		3/8x3	3/8	1-1/4"	
		3/8x4	3/8	1-1/4"	
		1/2x2-1/4	1/2	1-1/2"	4300
		1/2x3	1/2	1-1/2"	
		1/2x4	1/2	1-1/2"	
		1/2x6	1/2	1-1/2"	6100
		5/8x2-1/4	5/8	2"	
		5/8x3	5/8	2"	
		5/8x4-1/4	5/8	2"	
		5/8x5-3/4	5/8	2"	
		5/8x6	5/8	2"	7800
		3/4x2-1/2	3/4	2"	
		3/4x4-1/4	3/4	2"	
3/4x5-1/2	3/4	2"			
3/4x6-1/4	3/4	2"			
JT07-B	Flat Nut	1/4x2-1/4	1/4	1"	1200
		1/4x3	1/4	1"	
		1/4x4	1/4	1"	
		3/8x2-3/4	3/8	1-3/4"	2700
		3/8x4	3/8	1-3/4"	
		3/8x5	3/8	1-3/4"	
		3/8x6	3/8	1-3/4"	



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755




E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (one pc)

JT08-A~C

- A**  **body only**
- B**  **with hex bolt**
- C**  **with thread rod**

※body only

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT08 -A	M6x45	10	9.7
	M8x50	12	15.5
	M10x60	15	29.5
	M12x74	18	44.5

※with hex bolt

Item No.	Size (mm)	Inch Size	Kgs/1,000pcs
JT08 -B	M6x55	10	22.62
	M8x50	12	43.73
	M10x80	15	80.07
	M12x90	18	131.57

※with thread rod

Item No.	Size (mm)	Inch Size	Kgs/1,000pcs
JT08 -C	M6x60	10	23.37
	M8x70	12	43.93
	M10x90	15	84.81
	M12x110	18	145.82

Shield Anchor (one pc)

JT09-A~D

Item No.	Size (mm)
JT09 -A	M6
	M8
	M10
	M12

with cold pressed open eye hook



Item No.	Size (mm)
JT09 -B	M6
	M8
	M10
	M12

with cold pressed closed eye hook



Item No.	Size (mm)
JT09 -C	M6
	M8
	M10
	M12

with hot forging open eye hook



Item No.	Size (mm)
JT09 -D	M6
	M8
	M10
	M12

with hot forging closed eye hook





J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755




E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (2 pcs)

JT10-A~C

- A**  body only
- B**  with hex bolt
- C**  with thread rod

※body only

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT10-A	M6x45	12	9.70
	M8x50	14	15.50
	M10x60	16	28.50
	M12x75	20	62.90
	M16x95	25	139.00

※with hex bolt

Item No.	Size (mm)	Drill Dia.	.Kgs/1,000pcs
JT10-B	M6x55	12	22.62
	M8x60	14	43.73
	M10x80	16	80.07
	M12x90	20	131.57

※with thread rod

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT10-C	M6x60	12	23.37
	M8x70	14	43.93
	M10x90	16	84.81
	M12x110	20	145.82

Shield Anchor (2 pcs)

JT11-A~D


Item No.	Size (mm)
JT11-A	M6
	M8
	M10
	M12

with cold pressed open eye hook



Item No.	Size (mm)
JT11-B	M6
	M8
	M10
	M12

with cold pressed closed eye hook



Item No.	Size (mm)
JT11-C	M6
	M8
	M10
	M12

with hot forging open eye hook



Item No.	Size (mm)
JT11-D	M6
	M8
	M10
	M12

with hot forging closed eye hook





J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (3 pcs)

JT12-A~C



※body only

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT12-A	M6x45	12	18.25
	M8x55	14	24.60
	M10x60	16	36.65
	M12x75	20	61.80
	M16x115	25	160.20

※with hex bolt

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT12-B	M6x55	12	31.17
	M8x60	14	53.03
	M10x75	16	89.02
	M12x90	20	148.87
	M16x135	25	386.8

※with thread rod

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT12-C	M6x60	12	31.92
	M8x70	14	53.03
	M10x90	16	92.96
	M12x110	20	163.12

Shield Anchor (3 pcs)

JT13-A~D

Item No.	Size (mm)
JT13-A	M6
	M8
	M10
	M12

with cold pressed open eye hook



Item No.	Size (mm)
JT13-B	M6
	M8
	M10
	M12

with cold pressed closed eye hook



Item No.	Size (mm)
JT13-C	M6
	M8
	M10
	M12

with hot forging open eye hook



Item No.	Size (mm)
JT13-D	M6
	M8
	M10
	M12

with hot forging closed eye hook





J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (3 pcs)

JT14



Item No.	Size (mm)	Drill Dia.	Qty/Box	Pull Out Loading (kgs)
JT14	M5x35	8	100	700
	M6x40	10	50	1000
	M8x40	14	50	1500
	M8x50	14	25	1500
	M10x50	16	25	2200
	M10x60	16	25	2200
	M12x80	20	10	4200
	M12x100	20	10	4200

Shield Anchor (2pcs), Nut Inside

JT15



Item No.	Size (mm)	Drill Dia.	Anchor Length	Qty/Box	Pull Out Loading (kgs)
JT15	1/4"(M6)	1/2"	32mm	100	2.60
	5/16"(M8)	5/8"	50mm	50	6.20
	3/8"(M10)	5/8"	50mm	50	6.20
	1/2"(M12)	7/8"	65mm	25	9.20

※body only, nut inside

Shield Anchor (4 pcs), Nut Inside

JT16-A~C



Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs	Qty/Box
JT16 -A -B	M6x40	10	12	100
	M8x50	14	23	50
	M10x60	16	37	50
	M12x80	20	72	25
	M16x105	25	133	10
	M20x130	32	251	10
	M24x150	35	385	5

※nut inside with hex bolt

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs	Qty/Box
JT16 -C	M6x55	10	24.92	100
	M8x60	14	51.43	50
	M10x75	16	89.37	50
	M12x90	20	159.07	25
	M16x135	25	359.60	10



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (4 pcs), Nut Inside


JT17-A~F



with cold pressed open eye hook



with cold pressed closed eye hook



with thread rod



with hot forging open eye hook



with hot forging closed eye hook



with L hook

Item No.	Size (mm)
JT17-A	M6
	M8
	M10
	M12

with cold pressed open eye hook

Item No.	Size (mm)
JT17-B	M6
	M8
	M10
	M12

with cold pressed closed eye hook

Item No.	Size (mm)
JT17-C	M6
	M8
	M10
	M12

with thread rod

Item No.	Size (mm)
JT17-D	M6
	M8
	M10
	M12

with hot forging open eye hook

Item No.	Size (mm)
JT17-E	M6
	M8
	M10
	M12

with hot forging closed eye hook

Item No.	Size (mm)
JT17-F	M6
	M8
	M10
	M12

with L hook

Shield Anchor (4 pcs), Nut Outside

JT18-A~C



A body only



B with hex bolt



C with thread rod

※body only

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT18-A	M6x50	12	12.00
	M8x50	14	23.00
	M10x65	16	37.00
	M12x75	20	72.00
	M16x105	25	133.00

※with hex bolt

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT18-B	M6x55	12	24.92
	M8x60	14	51.43
	M10x75	16	89.37
	M12x90	20	159.07
	M16x135	25	359.60

※with thread rod

Item No.	Size (mm)	Drill Dia.	Kgs/1,000pcs
JT18-C	M6x60	12	15.22
	M8x70	14	29.53
	M10x90	16	50.67
	M12x110	20	93.02



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw


Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Shield Anchor (4 pcs), Nut Outside

JT19-A~D

Item No.	Size (mm)
JT19-A	M6
	M8
	M10
	M12

with cold pressed open eye hook



Item No.	Size (mm)
JT19-B	M6
	M8
	M10
	M12

with cold pressed closed eye hook



Item No.	Size (mm)
JT19-C	M6
	M8
	M10
	M12

with hot forging open eye hook




Item No.	Size (mm)
JT19-D	M6
	M8
	M10
	M12

with hot forging open eye hook



Hollow Wall Anchor

JT20-L,C,O



TYPE L



TYPE C



TYPE O

Item No.	Anchor Size		Grip Range		Quantity Ctn.	Weight Kgs/Ctn.	
	(Inch)	(mm)	(mm)	(Inch)			
JT20	1/8 XS	4 XS	UP-5	UP-1/4	5,000	24.0	
	1/8 S	4 S	3-12	1/8-1/2	4,000	26.0	
	1/8 M	4 M	10-16	3/8-5/8	3,000	22.6	
	1/8 SL	4 SL	3-20	1/4-13/16	3,000	23.4	
	1/8 L	4 L	16-24	5/8-1-1/4	3,000	26.4	
	1/8 XL	4 XL	31-38	1-1/4-1-1/2	2,500	25.0	
	L	3/16 E	6 E	6-13	1/4-1/2	2,000	25.8
		3/16 S	6 S	3-16	1/8-5/8	1,500	23.4
		3/16 L	6 L	14-32	5/8-1-1/4	1,200	23.8
		3/16 XL	6 XL	27-45	1-1/4-1-3/4	1,000	24.1
	O	1/4 E	8 E	6-3	1/4-1/2	1,000	20.0
		1/4 S	8 S	3-16	1/8-5/8	1,000	22.6
		1/4 L	8 L	14-32	5/8-1-1/4	1,000	26.3
		1/4 XL	8 XL	27-45	1-1/4-1-3/4	500	16.5



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755


E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Tie Wire Anchor


JT21-A,B



Item No.	Anchor size	Max Fixture Thickness (mm)	Hole size	Qty. per box
JT21-A	M6x50	35	6	100
	M6x60	35	6	100
	M6x120	35	6	100
JT21-B	1/4x2-1/32	35	1/4"	100
	1/4x2-1/8	35	1/4"	100
	1/4x2-1/4	35	1/4"	100

Spring Toggle/Gravity Toggle

JT22-A~F



Item No	Description	Anchor Size	Wing Length (mm)	Drill ϕ	Qty./box (pcs)	Kgs/1,000 Pcs
JT22 -A	body only	M3	34	10mm	200	3
		M4	39	12mm	200	3.5
		M5	50	14.5mm	200	6.3
		M6	53	16.5mm	200	11
		M8	66	20mm	100	22
		M10	74	23mm	50	26
		1/8"	34	3/8"	200	3
		3/16"	50	1/2"	200	6.3
		1/4"	53	5/8"	200	11
		5/16"	66	3/4"	100	22
JT22 -B -C	Pan head screw Hex head screw	M4	M-4	12mm	100	6.5
		M5	M-5	14.5mm	50	13
		M6	M-6	16.5mm	50	13
		M8	M-8	20mm	25	26
JT22 -D	thread rod	M4x100	M-4	12mm	100	6.5
		M5x100	M-5	14.5mm	50	13
		M6x100	M-6	16.5mm	50	13
		M8x110	M-8	20mm	25	26
JT22 -E	open eye hook	M4x100	M-4	12mm	100	6.5
		M5x105	M-5	14.5mm	50	13
		M6x115	M-6	16.5mm	50	13
		M8x150	M-8	20mm	25	26
JT22 -F	close eye hook	M4x100	M-4	12mm	100	6.5
		M5x105	M-5	14.5mm	50	13
		M6x115	M-6	16.5mm	50	13
		M8x150	M-8	20mm	25	26



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755


E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw


Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Spring Toggle/Gravity Toggle


JT23-A~D




body only



open eye hook



thread rod



close eye hook

Item No.	Description	Size (mm)	Drill Dia.	Qty./Box	Kgs/1,000pcs
JT23-A	body only	M4x48	10mm	100	3.45
		M5x52	10mm	100	4.35
		M6x85	16mm	100	14.25
		M8x125	20mm	50	36.6
JT23-B	Thread rod	M4x100	10mm	100	6.5
		M5x100	10mm	50	13
		M6x100	16mm	50	13
		M8x110	20mm	25	26
JT23-C	open eye hook	M4x100	10mm	100	6.5
		M5x105	10mm	50	13
		M6x115	16mm	50	13
		M8x150	20mm	25	26
JT23-D	close eye hook	M4x100	10mm	100	6.5
		M5x105	10mm	50	13
		M6x115	16mm	50	13
		M8x150	20mm	25	26

Concrete Screw

JT24



Item No.	Size (mm)	Drill Dia.	Screw Length (mm)	Kgs/1,000pcs	Qty./Box
JT24	7.5x42	φ 6	42	8.9	100
	7.5x52	φ 6	52	10.9	100
	7.5x62	φ 6	62	12.9	100
	7.5x72	φ 6	72	14.9	100
	7.5x82	φ 6	82	16.9	100
	7.5x92	φ 6	92	18.9	100
	7.5x102	φ 6	102	20.9	100
	7.5x112	φ 6	112	22.9	100
	7.5x122	φ 6	122	24.9	100
	7.5x132	φ 6	132	26.9	100
	7.5x152	φ 6	152	30.9	100
	7.5x182	φ 6	182	36.9	100
	7.5x202	φ 6	202	40.9	100
7.5x212	φ 6	212	42.9	100	



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Metal Frame Anchor

JT25



Item No.	Size (mm)	Sleeve Size (mm)	Screw Size	Fixing Length Max. (mm)	Kgs/1,000pcs
JT25	8x72	8x72	M5x88	42	21
	8x92	8x92	M5x108	62	27
	8x112	8x112	M5x128	82	32
	8x132	8x132	M5x148	102	36
	10x52	10x50	M6x68	20	30
	10x72	10x70	M6x88	40	35
	10x92	10x90	M6x108	60	43
	10x112	10x110	M6x128	80	51
	10x132	10x130	M6x148	100	59
	10x152	10x150	M6x168	140	66
	10x182	10x180	M6x198	150	71
	10x202	10x200	M6x218	170	79

Ceiling Anchor

JT26



Item No.	Size	Head Dia. (mm)	Drill (mm)	Load (kgs)
JT26	6x35	14.8	6.0	390
	6x65	14.8	6.0	390

Nylon Window Anchor

JT27



Item No.	Size	Screw Size (mm)	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT27	8x75	5x80	8	100	12.0
	8x100	5x110	8	100	15.5
	8x120	5x130	8	100	19.0
	8x140	5x150	8	100	22.5
	10x75	6x90	10	100	14.0
	10x100	6x110	10	100	18.5
	10x120	6x130	10	100	25.0
	10x140	6x150	10	100	32.0
	10x165	6x175	10	100	39.5



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Nylon Hammer Drive Anchor

JT28



Countersunk head



Round head



Truss head

Item No.	Anchor Size	Screw Size	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT28	5x30	3.5x33	5	100	2.1
	5x35	3.5x38	5	100	2.5
	5x40	3.5x43	5	100	2.9
	5x50	3.5x53	5	100	3.6
	6x35	4.0x38	6	100	3.2
	6x40	4.0x43	6	100	3.6
	6x50	4.0x53	6	100	4.4
	6x60	4.0x63	6	100	5.1
	6x70	4.0x73	6	100	6.0
	6x80	4.0x83	6	100	6.9
	8x60	5.0x63	8	50	8.2
	8x80	5.0x83	8	50	12.0
	8x100	5.0x103	8	50	13.4
	8x120	5.0x123	8	50	16.5
	8x135	5.0x138	8	50	18.1

Nylon Frame Anchor

JT29



Item No.	Anchor Size	Screw Size	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT29	8x60	5x63	8	100	9.8
	8x80	5x83	8	100	12.0
	8x100	5x103	8	100	15.6
	8x120	5x123	8	100	18.2
	8x140	5x143	8	100	22.4
	10x80	7x83	10	50	20.3
	10x100	7x103	10	50	24.2
	10x120	7x118	10	50	28.7
	10x140	7x138	10	50	34.0
	10x160	7x163	10	50	38.0



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755


E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Nylon Wall Plug


JT30-A,B



Item No.	Anchor Size	Screw Size	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT30-A (Without Lip)	4x20	2.0-3	4	1500	0.32
	5x25	2.5-4	5	1000	0.51
	6x30	3.5-5	6	600	0.63
	7x35	4.0-5.5	7	400	.079
	8x40	4.5-6	8	250	1.35
	10x50	6.0-8	10	150	2.30
	12x50	8.0-10	12	100	5.80
	14x75	10-12	14	75	6.80
	16x80	12-14	16	50	9.90
JT30-B (With Lip)	5x25	2.5-4	5	1000	0.35
	6x30	3.5-5	6	600	0.63
	7x30	4.1-5	7	400	0.90
	8x40	4.5-6	8	250	1.35
	10x50	6.1-8	10	150	2.30
	12x60	8.0-10	12	100	5.90
	14x80	12-14	14	75	6.80

Nylon Nail Anchor

JT31-A~C



Item No.	Anchor Size	Length (mm)	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT31 -A -B -C	3/16x3/4	19	4.8	100	2.17
	3/16x1	25	4.8	100	2.31
	3/16x1-1/2	38	4.8	100	3.12
	1/4x3/4	19	6.3	100	2.05
	1/4x1	25	6.3	100	2.55
	1/4x1-1/2	38	6.3	100	3.75
	1/4x2	50	6.3	100	4.70
	1/4x3	75	6.3	50	6.70



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Plastic Toggle Anchor

JT32-A,B



Item No.	Anchor Size	Length (mm)	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT32-A	3-6mm	1.5	8	100	0.78
	9-13mm	5	8	100	0.93
	13-16mm	9	8	100	1.2
	16-19mm	12.5	8	100	1.3
	26-28mm	20.5	8	100	1.6
JT32-B	32mm	12	10	100	2.25
	38mm	19	10	100	2.4
	50mm	28	10	100	3.3

PE Hollow Wall Plug

JT33



Item No.	Anchor Size	Length (mm)	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT33	6x38	38	6	100	0.55
	8x50	50	8	100	1.35
	10x60	60	10	100	2.55

Nylon Universal Plug

JT34



Item No.	Anchor Size	Length(mm)	Drill Dia.	Qty./Box (pcs)	Kgs/1,000 pcs
JT34	6x35	35	6	100	0.75
	8x50	50	8	100	1.85
	10x60	60	10	100	3.60



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohusiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Nylon Plug Anchor

JT35-A~G



pan head screw



medium L-hook



open eye hook



long L-hook



close eye hook



thread rod



short L-hook

Item No.	Description	Anchor Size	Length (mm)	Drill Dia.	Qty./Box (pcs)
JT35-A	pan head screw	9x40 M4	40	9	100
		12x45 M5	45	12	100
JT35-B	open eye hook	9x40 M4	40	9	100
		12x45 M5	45	12	50
JT35-C	close eye hook	9x40 M4	40	9	100
		12x45 M5	45	12	50
JT35-D	short L-hook	9x40 M4	40	9	100
		12x45 M5	45	12	100
JT35-E	medium L-hook	9x40 M4	40	9	100
		12x45 M5	45	12	100
JT35-F	long L-hook	9x40 M4	40	9	100
		12x45 M5	45	12	100
JT35-G	thread rod	9x40 M4	40	9	100
		12x45 M5	45	12	50

Steel Plug Anchor

JT36-A~G



pan head screw



medium L-hook



open eye hook



long L-hook



close eye hook



thread rod



short L-hook

Item No.	Description	Anchor Size	Drill ϕ	Length (mm)	Qty./Box (pcs)
JT36-A	pan head screw	8x40 M4	8	40	100
		9x45 M5	9	45	100
JT36-B	open eye hook	8x40 M4	8	40	100
		9x45 M5	9	45	50
JT36-C	close eye hook	8x40 M4	8	40	100
		9x45 M5	9	45	50
JT36-D	short L-hook	8x40 M4	8	40	100
		9x45 M5	9	45	100
JT36-E	medium L-hook	8x40 M4	8	40	100
		9x45 M5	9	45	100
JT36-F	long L-hook	8x40 M4	8	40	100
		9x45 M5	9	45	100
JT36-G	thread rod	8x40 M4	8	40	100
		9x45 M5	9	45	50



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Hammer Drive Anchor

JT37



Item No.	Size	Max Fixture Thickness (mm)	Kgs/1,000pcs	Qty. per box/ctn.	Pull Out Load (kgs)
JT37	3/16x7/8	1/4"	4.6	100/5000	230
	1/4x3/4	3/16"	7.3	100/4000	270
	1/4x1	1/4"	9.0	100/3000	330
	1/4x1-1/4	1/2"	10.5	100/2000	370
	1/4x1-1/2	3/4"	11.8	100/2000	430
	1/4x2	1-1/4"	15.0	100/1500	520
	1/4x2-1/2	1-3/4"	18.0	100/1000	620
	1/4x3	2-1/4"	21.0	100/1000	730
	M5x20	6.3mm	4.6	100/5000	230
	M6x30	12mm	9.8	100/2000	350
	M6x40	22mm	11.3	100/2000	410
	M6x50	32mm	14.5	100/1500	500
	M6x65	45mm	17.0	100/1000	600

Lag Screw Shield Anchor

JT38-A,B



Item No.	Size	Drill Dia.	Kgs/1,000pcs	Qty. per box/ctn.	Pull Out Load (kgs)
JT38-A	1/4"	1/2"	13.5	50/500	250
	5/16"	1/2"	13.6	50/500	440
	3/8"	5/8"	30.7	50/500	640
	1/2"	3/4"	41.8	50/500	1240
	5/8"	7/8"	58.5	25/125	1280
	3/4"	1"	73.0	25/125	1640
JT38-B	1/4"	1/2"	18.0	50/500	310
	5/16"	1/2"	23.6	50/500	620
	3/8"	5/8"	43.0	50/500	1100
	1/2"	3/4"	64.9	50/500	1670
	5/8"	7/8"	100.5	25/125	1730
	3/4"	1"	111.6	25/100	2020



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755


E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Zinc Alloy Easy Drive Anchor

JT39-A~E



Item No.	Size (mm)	Kgs/1,000pcs	Qty. per box
JT39-A	14X38	7.2	100
JT39-B	13X42	5.95	100
JT39-C	14X32	5.85	100
JT39-D	12X32	4.50	100
JT39-E	14X28	4.20	100

Lead Wood Screw Anchor

JT40



Item No.	Size	Dia.	Kgs/1,000pcs	Qty. per box/ctn.	Pull Out Load (kgs)
JT40	6-8x3/4	1/4"	5.6	100/2000	130
	6-8x1	1/4"	6.9	100/2000	160
	6-8x1-1/2	1/4"	9.1	100/1000	200
	10-14x3/4	5/16"	6.5	100/2000	360
	10-14x1	5/16"	9.0	100/1000	360
	10-14x1-1/2	5/16"	13.7	100/1000	450
	16-18x1	3/8"	10.1	100/1000	570
	16-18x1-1/2	3/8"	20.5	50/600	570



J. T. FASTENERS SUPPLY CO., LTD

NO. 2, Lane 48, Jinsing Street, Gangshan, Kaohsiung 820, Taiwan, R.O.C.

Tel: +886-7-626 8031

Fax: +886-7-625 4755

E-mail: jimmy.jft@msa.hinet.net

http://www.jtfasteners.com.tw

Product Lines: Anchors & Fixings · Riveting & Clinching Parts · Customized Fasteners · CNC Titanium Parts · Screws & Nuts

Expansion Anchor

JT41-A,B



single-type



double-type

Item No.	Size	Min. drill Dia.	Hole Depth	Qty. per box/ctn.	Pull Out Load (kgs)
JT41-A	1/4"	1/2"	1-3/8"	50/500	1080
	5/16"	5/8"	1-5/8"	50/500	1150
	3/8"	5/8"	1-5/8"	50/500	1570
	1/2"	7/8"	2-1/2"	25/250	2650
	5/8"	1"	2-3/4"	25/150	4420
	3/4"	1-1/4"	2-7/8"	10/100	5680
JT41-B	1/4"	1/2"	1-3/8"	50x500	1060
	5/16"	5/8"	1-5/8"	50x500	1340
	3/8"	3/4"	1-5/8"	50x300	2260
	1/2"	7/8"	2-1/2"	25/250	4110
	5/8"	1"	2-3/4"	25/150	6170
	3/4"	1-1/4"	2-7/8"	10/80	7710

Machine Screw

(sleeve-lead, nut-zinc)

Anchor

JT42



Item No.	Size	Dia.	Kgs/1,000pcs	Qty. per box/ctn.	Pull Out Load (kgs)
JT42	6-32	5/16	4.6	100/2000	350
	8-32	5/16	4.6	100/2000	580
	10-24	3/8	9.0	100/2000	600
	14-20	1/2	20.8	100/1000	1060
	5/16-18	5/8	35.0	50/500	1370
	3/8-16	3/4	64.0	50/300	2180
	1/2-13	7/8	86.1	50/200	2690
	5/8-11	1-1/8	177.2	10/100	3500
3/4-10	1-1/4	250.0	10/60	5100	